ANNUAL INDEX: VOLUME 54, 1993

Authors

***Indicates a book reviewer**
****Indicates "Correspondence"**

Abrams, D.B. 235, 710
Ager, C.R. 37
Alterman, A.I. 730
Anderson, B. 209
Artur, Y. 626
Atkinson, R.M. 102

Baer, J.S. 54
Bailey, S.L. 555
Barron, R.A. 246*
Barth, J.T. 389
Bates, M.E. 17, 762*
Bauer, L.O. 577
Bayog, R.D. 164
Beals, J. 172
Beattie, M.C. 283, 465
Beatty, W.W. 687
Benjamin, D. 5
Bennett, M.E. 522
Beresford, T.P. 246*
Berger, M.C. 225
Bhadra, S. 5
Binkoff, J.A. 710
Blum, T.C. 61
Boehnlein, J.K. 733
Bonte, W. 630
Booth, B.M. 645
Brancazio, C. 457
Braun, C.M.J. 11
Brennan, P.L. 479
Brick, J. 17
Brown, E.D. 652
Brown, K. 645
Bryant, K.J. 199
Busch-Rossnagel, N.A. 566

Carney, M.M. 54
Carroll, K.M. 199
Carroll, S. 297
Chassin, L. 326
Cherpitel, C.J. 308, 432, 517
Choquette, K.A. 652
Chow, V.M.C. 693
Clark, D.C. 107, 115
Colby, S.M. 235
Colder, C.R. 326
Connors, G.J. 676
Cook, B. 574
Cooney, N.L. 710
Cunningham, J.A. 693
Curtin, L. 315
Cutter, H.S.G. 164, 652

DeLissovoy, G. 488
Dick, R.W. 172
Donovan, J.E. 600
Döring, A. 745
Duckert F. 178
Dufour, M.C. 450
Dunn, N.J. 189

Ehrmann, L.C. 722
Elias, M.J. 399
Elkhayat, I. 5
Elliott, G. 283
Embree, B.G. 334
Epstein, E.E. 246*
Errico, A.L. 393
Evans, L. 441

Faillace, L.A. 676
Fava, J. 283
Fawcett, J. 115
Filipiak, B. 745
Fillmore, K.M. 37
Fingeret, A.L. 710
Fish, D. 457
Fisher, R.D. 315
Fitzgerald, J.L. 252**, 320, 462
Foote, A. 120*
Fowler, R. 574
Frankenstein, W. 522
Frick, M.C. 441

Garland, M.A. 219
Garretsen, H.F.L. 739
Gersten, J. 71
Gibbons, R.D. 107
Gorman, D.M. 633*
Greeley, J.D. 359
Greenfield, S.F. 120*
Groppenbacher, N. 71
Guemouri, L. 626

Hamilton, J.D., II 520
Harford, T.C. 450
Harris, C.M. 5
Haviland, M.G. 107
Heather, N. 359, 700
Heien, D.M. 302
Hendryx, M.S. 107
Henly, G.A. 534
Hennessy, M. 139
Herbeth, B. 626
Hesselbrock, V.M. 577
Hill, S.Y. 350, 408
Holder, H.D. 23, 146, 251**
Howard, M.O. 667
Huckenbeck, W. 630

Ingvar, D.H. 369
Isenhart, C.E. 345
Jacob, T. 189
Janes, K. 23
Johnstone, B.M. 37
Jones, A.S. 488

Kadden, R.M. 710
Katzung, V.M. 687
Keil, U. 745
Keller, D.S. 522
Keller, M. 505*
Khantzian, E.J. 377
King, A.C. 393
Kinzie, J.D. 733
Knibbe, R.A. 157
Kühlhorn, E. 542

Labouvie, E.W. 505*
Laitman, L.A. 522
Lal, H. 5
Lecomte, E. 626
Ledolter, J. 252**
Leifman, H. 542
Leigh, J.P. 225
Leino, E.V. 37
Lemmens, P.H.H.M. 157
Lender, M.E. 633*
Leo, G.I. 85
Lesch, O.M. 630
Leung, P.K. 733
Liepman, M.R. 710
Liskow, B. 574
Longabaugh, R. 283, 465
Lovallo, W.R. 393

McCourt, W.F. 652
McCrady, B.S. 522
McGuire, M. 115
MacKinnon, D.P. 614
Malitz, F.E. 488
Malloy, P. 465
Malouff, J. 457
Mammo, A. 92
Manson, S.M. 172
Martin, C.S. 750
Martin, J.K. 61
Masterson, B.J. 645
Mattick, R.P. 700
Mertens, J.R. 479
Michaels, M. 71
Mick, S.S. 488
Miller, W.R. 502
Miller, S.M. 730
Montgomery, H.A. 502
Monti, P.M. 235, 710
Moos, R.H. 479
Moreland, V.J. 687

Morlock, L.L. 488
Morris, T.S. 762*
Mosher, J. 23
Mulford, H.A. 252**, 320, 462
Munroe, S.M. 710

Nace, E.P. 120*
Nagoshi, C.T. 80
Nakamura, K. 618
Nakawatase, T.V. 48
Niaura, R.S. 235
Nirenberg, T.D. 710
Nixon, S.J. 219, 687
Noel, N.E. 283, 465
Nyström, M. 528

O'Farrell, T.J. 164, 652

Paille, F. 626
Palliyath, S. 684
Pang, M. 209
Parés, A. 308
Park, R.S. 520
Parker, D.A. 762*
Parker, R.N. 146
Parrish, K.M. 450
Parsons, O.A. 219, 393
Pate, L.A. 520
Pedraza, M. 710
Peräsalo, J. 528
Pirollet, P. 626
Pisani, V.D. 115
Pittman, D.J. 302
Prather, P.L. 5
Prescott, J. 359

Rachal, J.V. 555
Reed, D.A. 645
Rhea, S.A. 80
Richer, M. 11
Risberg, J. 369
Rodés, J. 308
Rodolico, J. 120*
Rohsenow, D.J. 235, 710
Roman, P.M. 61
Room, R. 246*
Roosa, M.W. 71
Rotgers, F. 505*, 633*
Rounsaville, B.J. 199
Rowley, R.D. 133
Rubonis, A.V. 235
Rush, B. 275
Ryan, T.V. 389

Salaspuro, M. 528
Salkever, D. 488
Saltz, R.F. 23, 139
Sano, M. 369
Sasao, T. 48
Sayette, M.A. 399, 750
Schaefer, J.M. 133
Schorling, J.B. 261
Schutte, N. 457
Schwartz, B.D. 684
Sciara, A.D. 389
Searles, J.S. 730
Seilhamer, R.A. 189
Shore, J.H. 733
Siest, G. 626
Silvia, L.Y. 566
Single, E. 590
Sirota, A.D. 235
Skog, O.-J. 178
Sobell, L.C. 85, 693
Sobell, M.B. 85
Sonnenstuhl, W.J. 505*
Sorell, G.T. 566
Spurr, S. 23
Steinhauer, S.R. 350, 408
Stenberg, G. 369
Stieber, J. 745
Stinchfield, R.D. 534
Stinson, F.S. 450
Stout, R.L. 283, 465
Strobel, R.M. 520
Svanum, S. 722
Swift, W. 359
Sykes, R.E. 133
Takano, T. 618
Tanaka, A. 618
Tarbox, A.R. 676
Tebbutt, J.S. 700
Tiffany, S.T. 633*
Timken, D. 209
Tolson, R.L. 102
Toneatto, T. 85
Tonigan, J.S. 502
Treno, A.J. 146
Tsuang, M.T. 164
Turner, J.A. 102
Turner, W.M. 164
Tyas, S. 275

Van Horn, D.H.A. 522
Van Oers, J.A.M. 739

Wagenaar, A.C 23, 251**
Weinbaum, D.F. 92
Weisner, C. 268
Wells-Parker, E. 209
Wendt, P.E. 369
Whaley, A.L. 377*
White, H.R. 17
Whitehead, P.C. 334
Wiener, K. 457
Wilson, G.T. 399
Wilson, J.R. 80
Windle, M. 422
Winokur, G. 574
Winters, K.C. 534
Wirsén, A. 369
Worobec, T.G. 164
Wortley, S. 590

Yamamoto, J. 48
Yandow, V. 377*
Yates, W.R. 645

Zamir, R. 700
Zwick, W.R. 710

ANNUAL INDEX: VOLUME 54, 1993

Subjects

***Indicates a book review**

Use of the Index

This index is designed to reveal subjects and their interrelations. Thus, an entry, "Anxiety, youth's drinking, stress," indicates an item dealing with the interrelationship of the three possibly independent topics, or of any two with the third. And an entry, "Relapse, Alcoholics Anonymous attendance," may reveal how relapse is affected by AA attendance or how AA attendance affects relapse. Items are extensively cross-indexed. For example, a reference to "Sweden, drinking surveys" would also appear at "Drinking surveys, Sweden."

Terms

Generally, indexing is as specific as possible without posting to broader terms. Many relationships to certain very frequent terms are not indexed under those terms, but appear as main entries throughout the index; scope notes at those terms (e.g., at "Alcohol") are a guide to the index terms used. Preference has been given to direct rather than to inverted entries (e.g., "Prevalence of problem drinking" rather than "Problem drinking/prevalence"). Information not found one way would be sought the other way—or under all possible synonyms. Certain index entries with multiple subdivisions are dealt with by successive main entries, such as "Accidents/fatal," "Accidents/traffic." Similarly, see "Acetate/blood," "Acetate/endogenous," etc., rather than "Blood acetate," "Endogenous acetate," etc.

Absenteeism
  workplace
    drinking frequency, quantity, 65-7
Abstinence (*see also* Abstinence by alcoholics; Sobriety)
  Augsburg
    trends, 747-8
  Netherlands
    seasonal differences, 159-60, 162
    sex differences, 159-60, 162
Abstinence by alcoholics
  Alcoholics Anonymous attendance, 115-9
    lithium carbonate therapy, 115-9
  motor nerve conduction, 684-6
  peripheral nervous system, 684-6
Abusa-stick, 517
Accidents/drinking-driving (*see also* Accidents/drinking-related; Accidents/fatal; Accidents/traffic; Arrests/drinking-driving; Drinking-driving)
  blood alcohol, 441-9
  costs
    United States, 305-6
Accidents/drinking-related (*see also* Accidents/drinking-driving)
  availability/alcohol, alcoholic beverages, 323-4
  hospitalized patients
    hospital type, 437-8
Accidents/fatal
  blood alcohol, 441-9
Accidents/traffic (*see also* Accidents/drinking-driving)
  drinking
    geographic distribution, 739-44
Acetaldehyde
  interoceptive discriminative stimulus, 7-9
Acetaldehyde dehydrogenase type I deficiency
  Japanese Americans, 48, 52
Acupuncture
  substance abuse treatment, 635-6*
Adaptive Skills Battery, 711
Addiction Program for the Spinal Cord Injured, 276
Addiction Research Foundation, 275
Addiction Severity Index, 201
Addictions (*see also* Alcohol abuse; Alcohol dependence; Alcoholism; Drug abuse; Drug dependence; Substance abuse; Substance abusers), 507-8*
  relapse
    prevention, 121-2*
  treatment
    motivational interviewing, 507*
Adolescent Diagnostic Interview, 536
Adolescent Drinking Index, 540
Adolescents, *see* Children of alcoholics; Students/college; Students/high-school; Young adulthood, Youth)
Affective disorders, *see* Aggression; Anxiety; Depression; Depressive states; Hostility; and see Psychiatric disorders; Psychopathology
Affective states (*see also* Affective disorders; Emotions; Mood)
  alcoholic Native Americans
    sex differences, 735-7
  alcoholics
    biobehavioral stressors, 396-7
  drinking history of alcoholics
    social environment, 283-91
  youth's drinking
    parental alcoholism, 326-33
    rebelliousness, 326-33
    stress, 326-33
Aftercare
  drinking/posttreatment
    expectancies/alcohol response, 678-83
Age (*see also* Age/alcoholism onset; Age/initial drinking; Age/problem drinking onset; Age of alcoholics; Age of problem drinkers; Aged)
  consumption/alcohol, alcoholic beverages
    United States, 149-54
  drinking frequency, quantity
    Augsburg, 745-9
    blood pressure, 229-32
    drinking context, setting, 572-8
  drinking surveys
    sampling bias, 546
  event-related potential

Age (*cont.*)
risk/alcoholism, 353-8, 415-20
hospitalized patients
hospital type, 435, 437-8
identification of alcoholics
students/college, 532
injuries/drinking-related, 311-3
Inventory of Drinking Situations, 42, 348-9
problem behavior onset
childhood problem behavior, 424-8
Age/alcoholism onset
familial alcoholism, 164-71
neurotoxicity tests, 13-15
risk/relapse, 645-51
Age/initial drinking
problem drinking
youth, 557, 560-1
Age/problem drinking onset
alcoholism treatment compliance, 103-5
Age of alcoholics, 86, 269
alcoholism treatment completion
outpatient care, 94, 96-9
liver cirrhosis mortality
drinking frequency, quantity, 453-5
risk/relapse, 647
substance abuse
veterans/aged, 479-87
Age of problem drinkers
alcoholism treatment compliance, 102-6
Aged
alcoholism treatment, 762-3*
problem drinkers
alcoholism treatment compliance, 102-6
substance abuse
demographic variables, 481-6
depression, 483, 485
diagnosis, 481-6
treatment, 481-6
Aggression
alcohol dosage
social information processing, 399-407
young adulthood
drinking-driving, 604, 606-12
A-guild, 635*
AIDS
management
workplace, 248-9*
Al-Anon, 123*, 654
Alaska Natives, *see* Native Alaskans
Alcohol
Note: *Except the immediately following entries, most entries related to* Alcohol *appear as main entries throughout the index, e.g.,* Body sway, alcohol. *The two types of subentries* (alcohol, alcoholization) *are used to distinguish between acute and chronic administration to animals.*
Alcohol abuse (*see also* Addictions; Alcohol dependence; Alcoholism; Substance abuse)
costs
Japan, 618-25
United States, 302-7
Native Americans
cohort studies, 733-8
Alcohol administration research
experimental design
review, 750-61
Alcohol Beverage Labeling Act, 457
Alcohol cue reactivity (*see also* Expectancies/alcohol response)
craving/alcohol
alcohol detoxication, 235-45
alcoholism severity, 85-91, 239, 242-3
drinker categories, 359-60, 365-7
Alcohol dependence (*see also* Addictions; Alcohol abuse; Alcoholism; Substance abuse), 762*
hospitalized patients
hospital type, 432-40
loss of control/drinking
measurement, 700-9
Native Americans
cohort studies, 733-8
problem drinking
youth, 559-61
risk/relapse
psychometric evaluation, 345-9
Alcohol Dependence Scale, 87, 237, 655
Alcohol detoxication (*see also* Alcohol withdrawal)
alcohol cue reactivity
craving/alcohol, 235-45
Alcohol dosage
aggression
social information processing, 399-407
blood flow/brain, 369-76
Alcohol Effects Questionnaire, 677
Alcohol Expectancy Questionnaire, 678
Alcohol metabolism, 762-3*
Alcohol placebos
experimental design
review, 751-7
Alcohol-related problems
alcoholic beverage server
legal liability, 23-36
United States
costs, 302-7
surveys, 246
Alcohol sensitivity, *see* Flushing response/alcohol
Alcohol Specific Role Play Test
alcoholics' coping skills
drinking context, setting, 710-21
Alcohol Use Disorders Identification Test, 361
Alcohol Use Inventory, 165, 210, 345
Alcohol Involvement and Disruption scales, 346
Alcohol withdrawal (*see also* Alcohol detoxication)
alcohol cue reactivity
craving/alcohol, 235-45
alcoholics
antioxidant enzymes/blood, 626-9
Alcoholic
Note: *Except the immediately following, most entries relating to* Alcoholic *appear as main entries throughout the index, e.g.,* Neurotoxicity/alcoholic. *See also* Alcoholism; Problem drinkers; Substance abusers.
Alcoholic beverage privatization
alcoholic beverage purchases, 462-4
drinking context, setting, 320-5
drinking frequency, quantity, 320-5
drinking-related problems, 320-5
wine sales, 151-2, 152-3
Alcoholic beverage purchases
alcoholic beverage privatization, 462-4
Alcoholic beverage server
legal liability
alcohol-related problems, 23-36

Alcoholic beverage server (*cont.*)
mass media, 28-34
Alcoholic beverage type
consumption/alcohol, alcoholic beverages
seasonal variation, 159-62
drinking frequency, quantity
demographic variables, 745-9
drinking surveys
sampling bias, 545, 548-9, 552
students/college
perception of drinker, 315-9
Alcoholic beverages
health warning labeling
avoidance response, 614-17
characteristics, 457-61
drinking frequency, quantity, 457-61
laws/liquor control
sales/alcoholic beverages, 151-2, 152-3
Alcoholics Anonymous (*see also* Alcoholics Anonymous attendance; Alcoholics Anonymous members), 249*, 380*, 505*, 468, 568, 636*, 676, 700, 731
children of alcoholics, 120-1*
group characteristics, 502-4
treatment choice
attitudes/substance abuse treatment, 696-7
marital therapy, 653, 654, 655
Twelve Steps, 249*, 297-301
Twelve Traditions, 249*
youth, 122-3*
Alcoholics Anonymous attendance
abstinence by alcoholics, 115-9
lithium carbonate therapy, 115-9
purpose in life, 297-301
Alcoholics Anonymous members
spirituality
purpose in life, 297-301
sobriety, 297-301
Alcoholism
Note: *Except the immediately following entries, most entries related to* Alcoholism *appear as main entries throughout the index, e.g.,* Risk/alcoholism; *see also* Addictions; Alcohol dependence; Problem drinking; Substance abuse.
costs
United States, 302-7
management
workplace, 248-9*
Alcoholism concepts, 120-1*, 121-2*
ethnography, 634-5*
homelessness, 378-80*
loss of control/drinking, 700-1, 707-8
spontaneous remission, 178-9
Alcoholism duration
neurotoxicity tests, 13-15
Alcoholism Outcome Scale, 646
Alcoholism screening tests (*see also* Diagnosis of alcoholism; Identification of substance abusers)
students/college, 522-7, 528-33, 722-9
validity, 722-9
youth, 534-41
Alcoholism severity
children of alcoholics
familial alcoholism, 164-71
craving/alcohol
alcohol cue reactivity, 85-91, 239, 242-3
Alcoholism treatment (*see also following entries; and see* Alcoholics Anonymous; Employee assistance programs; Follow-up; Intervention programs; Motivation/alcoholism treatment; Prognosis/alcoholism treatment; Relapse; Substance abuse treatment), 122-3*, 123*, 248-9*, 378*, 635-6*, 762-3*
aged, 762-3*
cost-effectiveness
critique, 667-75
costs, 505-6*
disabled
Ontario, Canada, 275-82
drugs, 507-8*, 762-3*
homeless, 378-80*
intervention programs
homeless, 378-80*
employee assistance programs, 248-9*, 505-6*
motivation, 505-6*
psychiatry, 378*
psychotherapy, 378*
Alcoholism treatment completion
outpatient care
demographic variables, 92-101
sex differences, 94-9
Alcoholism treatment compliance
age of problem drinkers, 102-6
Alcoholism treatment duration
outpatient care
demographic variables, 96, 97-100
Alcoholism treatment history
alcoholism treatment compliance
outpatient care, 103-5
risk/relapse, 645-51
Alcoholism treatment evaluation
ethnic/racial communities, 764-5*
Alcoholism treatment outcome
social investment
psychological functioning, 465-78
social support, 465-78
Alcoholism vulnerability, *see* Risk/alcoholism
Alcoholization of animals
disulfiram
interoceptive discriminative stimulus, 5-10
Alcoscan meter, 19
Alco-Sensor III, 517, 580
American Hospital Association, 492
American Medical Association, 457
American Society of Addiction Medicine, 636
Anchorage
alcoholism
homelessness, 378-80*
Antisocial personality disorder
alcoholics
risk/relapse, 647-50
children of alcoholics
alcohol, 577-89
Anxiety (*see also* Affective disorders; Depression; Depressive states; Stress)
alcohol cue reactivity
alcohol detoxication, 238-44
alcoholics
biobehavioral stressors, 396-7
drinking context, setting, 714-18
youth's drinking
parental alcoholism, 326-33
rebelliousness, 326-33
stress, 326-33

Anxiety reduction
interoceptive discriminative stimulus
disulfiram, 5-10
disulfiram-alcohol, 7-9
Area Resource File, 492
Arrest history
problem drinkers
alcoholism treatment compliance, 103-5
Arrestees/drinking-driving (*see also* Arrests/drinking-driving)
alcoholics, 86
problem drinkers
alcoholism treatment compliance, 103-5
classification, 209-18
Arrests/drinking-driving (*see also* Accidents/drinking-driving; Arrestees/drinking-driving; Drinking-driving; Drinking-related problems)
availability/alcohol, alcoholic beverages, 323-4
costs
United States, 305-6
Asian Americans (*see also* Japanese Americans)
drinking-related problems, 762-3*
substance abuse treatment
evaluation, 764-5*
Asian/Pacific Islanders
substance abuse treatment
evaluation, 764-5*
Attention deficit disorder
childhood
adolescent problem behavior, 422-31
Attitudes/alcohol, drinking
parents
youth's problem drinking, 558-62
United States, 122-3*
surveys, 246*
Attitudes/smoking
cocaine users
treatment considerations, 693-9
Attitudes/substance abuse treatment, 693-8
Attitudinal Intolerance of Deviance, 604
Auditory stimuli
event-related potential
risk/alcoholism, 408-21
Augsburg, Germany
drinking frequency, quantity
demographic variables, 745-9
Australian National Health and Medical Research Council, 361
Autonomic nervous system (*see also* Central nervous system; Peripheral nervous system)
children of alcoholics
antisocial personality disorder, 577-89
Availability/alcohol, alcoholic beverages (*see also* Prices/alcoholic beverages; Sales/alcoholic beverages)
accidents, 323-4
arrests/drinking-driving, 323-4
drinking context, setting, 320-5
drinking frequency, quantity, 320-5
drinking-related problems, 320-5
injuries/drinking-related, 323-4
wine sales, 251-2, 252-3
Aversion therapy
cost effectiveness
critique, 668-73
Avoidance disorder
childhood
adolescent problem behavior, 422-31
Beck Depression Inventory, 646, 688
alcoholics, 395
evaluation, 107-14
Beer drinking
Augsburg
trends, 747-8
Bem Sex-Role Inventory, 567
Bias
drinking surveys, 546
peer perception
problem drinking, 54-60
self-reports
drinking frequency, quantity, 334-44
Biothesiometer test, 13
Birth defects
alcohol, 762-3*
Blackouts
hospitalized patients
hospital type, 437-8
students/high-school
Native Americans, 174
Blacks (*see also* Race)
alcoholism treatment completion
outpatient care, 94-6, 98-9
drinking frequency, quantity
blood pressure, 259-32
liver cirrhosis mortality, 450-6
drinking-related problems, 762-3
substance abuse
veterans/aged, 482
substance abuse treatment
evaluation, 764-5*
Blood alcohol concentration (*see also* Blood alcohol determination; Breath alcohol concentration)
accidents/fatal, 441-9
alcohol
risk/alcoholism-antisocial personality, 582-3, 587
breath alcohol
self-reports of drinking, 517-19
injuries
predictors, 432-40
injuries/drinking-related, 311-3
mood, 371, 373-5
saliva alcohol, 17-22, 520-1
Blood alcohol determination (*see also* Blood alcohol concentration)
breath-saliva, 17-22
saliva alcohol, 520-1
Blood flow/brain
alcohol dosage, 369-76
Blood pressure
alcohol, 372
drinker categories
alcohol cue reactivity, 364
drinking frequency, quantity
disability, 229-32
econometric technique, 225-34
sex differences, 225-34
Body mass
drinking frequency, quantity
blood pressure, 229-32
Body sway (*see also* Reaction time)
alcohol
risk/alcoholism-antisocial personality, 579-80, 582, 586-8
Brain cortex (*see also* Blood flow/brain)
alcoholics

Brain cortex (*cont.*)
neurotoxicity tests, 11-16
Brain parts (*see also* Brain cortex; Central nervous system)
blood flow
alcohol dosage, 369-76
Breath alcohol concentration (*see also* Blood alcohol concentration; Breath alcohol determination; Saliva alcohol determination)
hospitalized patient
hospital type, 432-40
predictors
injury, 432-40
Breath alcohol determination (*see also* Blood alcohol determination; Breath alcohol concentration; Saliva alcohol determination)
injuries
self-reports of drinking, 517-19
saliva alcohol determination, 17-22
Breathalyzer, 19
Buss-Durkee Hostility Scale, 604

CAGE Questionnaire, 522, 694
identification of alcoholics
students/college, 528-33
California Card Sorting Test
alcoholics, 687-92
Canada (*see also* Ontario, Canada)
drinking frequency, quantity
drinking context, setting, 590-9
Cardiovascular system (*see also* Heart rate; Respiratory sinus arrhythmia)
alcohol, 762-3*
CASPAR, 377*
Catalase/blood
alcoholics
alcohol withdrawal, 626-9
Catalase/erythrocyte
alcoholics
alcohol withdrawal, 626-9
Catecholaminergic system
disulfiram, 8-9
Category test
alcoholics
neurotoxicity/alcoholic, 11-16
Center for Epidemiologic Studies Depression Scale, 173, 425
Central nervous system (*see also* Autonomic nervous system; Brain parts; Electroencephalography; Peripheral nervous system)
alcohol, 762-3*
Chemical dependence, *see* Alcohol dependence; Drug dependence; Substance abuse
Child Behavior Checklist, 328
Children of alcoholics (*see also* Children of problem drinkers)
alcoholism severity
familial alcoholism 164-71
antisocial personality disorder
alcohol, 577-89
biological characteristics, 247-8*
cognitive deficits, 219-24
cortisol response
paternal alcoholism, 397
counseling, 120-1*
drinking frequency, quantity
affective states, 326-33
rebelliousness, 326-33
stress, 326-33
Children of alcoholics (*cont.*)
group therapy, 120-1*
learning/visuospatial, 219-24
sex differences, 219-24
parent's drinking patterns
parent-child relationship, 189-98
posttraumatic stress disorder
therapy, 120-1*
psychopathology, 247-8*
psychotherapy, 120-1*
risk/alcoholism, 247-8*
self-reports
familial alcoholism, 730-2
parental alcoholism, 71-9
parental problem drinking, 71-9
therapy, 120-1*
Children of Alcoholics Screening Test, 72
Children of problem drinkers (*see also* Children of alcoholics)
self-reports
parental alcoholism, 71-9
parental problem drinking, 71-9, 80-4
Chlordiazepoxide
alcohol detoxication
craving/alcohol, 238-44
Cirrhosis/liver
complications, 762-3*
mortality
drinking frequency, quantity, 450-6, 545-7, 550
Clinical Institute Withdrawal Assessment-Alcohol scale, 237
Coase Theorem, 303
Cocaine use (*see also* Cocaine users; Drug dependence; Substance abuse)
alcoholism, 199-208
Cocaine users
alcoholics
drinking frequency, quantity, 202, 205
psychiatric disorders, 202-5
attitudes/smoking
treatment considerations, 693-9
stigmatization, 693-9
Cognitive and Personality Factors Family Study, 351
Cognitive behavioral therapy
alcoholism treatment outcome
social investment, 465-78
social support, 465-78
Cognitive dysfunction (*see also* Cognitive functions; Neurotoxicity/alcoholic)
alcoholics, 687-92
children of alcoholics, 219-24
disulfiram
toxicity, 389-92
Cognitive functions (*see also* Cognitive dysfunction)
alcoholics
stress, 393-8
Cohort studies
prevalence of alcoholism
Native Americans, 733-8
substance abuse
veterans/aged, 481-6
Collaborative Alcohol-Related Longitudinal Project, 39
Colonial America
drinking
history, 633*
Color discrimination test
alcoholics
neurotoxicity/alcoholic, 11-16

Colorado Alcohol Research on Twins and Adoptees, 80
Conceptual Level Sentence Completion Instrument, 210
Conceptual Levels Analogy Test, 688
Conduct disorders
childhood
adolescent problem behavior, 422-31
Conflict avoidance
workplace
drinking frequency, quantity, 65-7
Conflict Tactics Scales, 656
Constitutional hypothesis
drinking frequency, quantity
blood pressure, 225-34
Consumption/alcohol, alcoholic beverages (*see also* Drinker categories; Drinking frequency, quantity; Drinking patterns)
alcoholics
neurotoxicity tests, 11-16
laws/liquor control, 151-2, 152-3
seasonal differences
alcoholic beverage type, 159-62
Netherlands, 157-63
sex differences, 157-63
survey methods, 157-63
socioeconomic factors
United States, 146-56
women
workforce, 148-54
Continuous Performance Test, 351
Control/internal-external (*see also* Power)
risk/drinking
alcohol dependence, 345-9
Cooke-Medley Hostility Questionnaire, 401
Coping skills
alcoholics
role-playing test, 710-21
women alcoholics
sex-role orientation, 567-8, 570-2
Correlates of Drinking Behavior Project Screening Questionnaire, 731
Cortisol/blood
alcoholics
stress, 393-8
Cortisol response
children of alcoholics
paternal alcoholism, 397
Costs
alcohol abuse
Japan, 618-25
United States, 302-7
alcoholism treatment, 505-6*
Counseling
alcoholics
homelessness, 378-80*
children of alcoholics, 120-1*
Couples Behaviors Questionnaire, 655
Craving/alcohol
alcohol detoxication
alcohol cue reactivity, 235-45
alcoholism severity
alcohol cue reactivity, 85-91, 239, 242-3
culture, 634*
drinker categories
alcohol cue sensitivity, 359-60, 365-7
Crime, *see* Arrests/drinking-driving; Criminal behavior; Delinquent behavior
Criminal behavior (*see also* Delinquent behavior)
alcoholism-drug abuse, 271-3
Cross-cultural studies
injuries/drinking-related
United States-Spain, 308-14
Culture
alcoholism
homelessness, 378-80*
alcoholism concepts
craving/alcohol, 634*
alcoholism treatment
evaluation, 764-5*
drinking, 122-3*
injuries/drinking-related
United States-Spain, 308-14
substance abuse, 635-6*
substance abuse treatment
evaluation, 764-5*

Delinquent behavior
students/high-school
childhood problem behavior, 422-31
young adulthood
drinking-driving, 603, 605-8
Demographic variables, *see* Age; Age of alcoholics; Age of problem drinkers; Educational status; Educational status of alcoholics; Employment status; Employment status of alcoholics; Ethnicity; Income; Income of alcoholics; Marital status; Marital status of alcoholics; Occupational status; Occupational status of alcoholics; Race; Socioeconomic status of alcoholics
Denial
alcoholism, 378*
motivational interviewing, 507*
problem drinking
job performance, 66-7
substance abuse
motivational interviewing, 507*
Depression (*see also* Affective disorders; Anxiety; Depressive states)
alcoholic Native Americans
sex differences, 735-7
alcoholics
biobehavioral stressors, 395-7
risk/relapse, 648
drinking frequency, quantity
Native Americans, 172-7
students/high-school, 172-7
students/high-school
childhood problem behavior, 422-31
substance abusers
veterans/aged, 483, 485
youth's drinking
rebelliousness, 326-33
parental alcoholism, 326-33
Depression Adjective Checklist, 361
Depressive states (*see also* Depression)
alcoholics
measurement, 107-14
Diagnosis of alcoholism (*see also* Diagnosis of substance abusers; Identification of alcoholics; Identification of substance abusers), 122-3*, 767-8*
veterans/aged
cohort studies, 479-87
Diagnosis of substance abusers (*see also* Diagnosis of alcoholism; Identification of substance abusers)

Diagnosis of substance abusers (*cont.*)
veterans/aged
cohort studies, 479-87
Diagnostic and Statistical Manual of Mental Disorders (DSM-III-R), 107, 109, 200, 237, 287, 328, 351 394, 410, 422, 423, 468, 489, 517, 535, 536, 578, 630, 653, 688, 713, 723, 724, 726, 727, 728, 734, 762*
Personal Experience Inventory, 535, 536, 539
Diagnostic Interview Schedule, 73, 107, 286, 328, 410, 411, 468, 646, 723
Diary method
consumption/alcohol, alcoholic beverages
seasonal differences, 157-63
Diethyl dithiocarbamate
interoceptive discriminative stimulus, 5-10
Disability/developmental (*see also* Disability/ physical; Disability/ psychiatric)
substance abuse treatment
Ontario, Canada, 275-82
Disability/physical
drinking frequency, quantity
blood pressure, 229-31
substance abuse treatment
Ontario, Canada, 275-82
Disability/psychiatric
substance abuse treatment
Ontario, Canada, 275-82
Disease concept, *see* Alcoholism concepts
Disulfiram
interoceptive discriminative stimulus, 5-10
toxicity
neuropsychologic impairment, 389-92
Disulfiram-alcohol
interoceptive discriminative stimulus, 7-9
Disulfiram therapy
alcoholics
marital therapy, 654-5, 660, 663
Divorce
consumption/alcohol, alcoholic beverages
United States, 149-54
Dose-effect relationship
alcoholics
neurotoxicity tests, 12-15
anxiety reduction
disulfiram, 7-9
Dram shop liability laws
liability exposure/state
United States, 24-7
Drink Refusal Role Play Test, 712
Drinker categories (*see also* Drinking frequency, quantity; Drinking patterns; Social drinkers)
alcohol cue reactivity, 359-68
craving/alcohol, 359-60, 365-7
hospitalized patients
hospital type, 432-40
students/college
identification of alcoholism, 529-32
Drinkers, drinking
Note: *Except the immediately following entries, most entries related to* Drinkers, drinking *appear as main entries throughout the index, e.g.,* Beer drinking; Problem drinkers.
history, 122-3*, 633*
Drinking context, setting (*see also* Drinking establishments)
alcoholics
drinking patterns, 193-7
Drinking context, setting (*cont.*)
alcoholics' coping skills
role-play test, 710-21
availability/alcohol, alcoholic beverages, 320-5
drinking frequency, quantity
demographic variables, 590-9
risk/relapse
psychometric evaluation, 345-9
Drinking-driving (*see also* Accidents/drinking-driving; Arrests/ drinking-driving)
accidents/traffic
geographic distribution, 738-44
alcoholic beverage type
perception of drinker, 316-9
availability/alcohol, alcoholic beverages, 323-4
blood alcohol
risk/fatality, 441-9
young adulthood
behavioral correlates, 600-12
psychosocial correlates, 600-12
Drinking establishments (*see also* Drinking context, setting)
accidents/traffic
geographic distribution, 739-44
alcoholic beverage server
legal liability, 23-36
drinking frequency, quantity
drinking group characteristics, 133-8, 139-45
Drinking frequency, quantity (*see also* Consumption/alcohol, alcoholic beverages; Drinker categories; Drinking patterns)
alcoholic beverage type
perception of drinker, 316-9
alcoholic beverages
health warning labeling, 457-61
alcoholics
drug abuse, 202, 205, 268-74
risk/relapse, 645-51
sex differences, 268-74
social environment, 283-96
availability/alcohol, alcoholic beverages, 320-5
blood pressure
disability, 229-31
econometric technique, 225-34
children of alcoholics, 326-83
cirrhosis/liver
mortality, 450-6, 545-7, 550
demographic variables
Augsburg, 745-9
drinking context, setting, 590-9
drinking establishments
drinking group characteristics, 133-8, 139-45
hospitalized patients
hospital type, 432-40
injuries/drinking-related, 311-3
job performance, 61-70
absenteeism, 65-7
conflict avoidance, 65-7
interpersonal relations, 65-7
tardiness, 65-7
longitudinal studies
individual-group level drinking, 37-47
peer perception
sex differences, 56-9
students/college, 54-60
self-reports
response bias, 334-44
social desirability, 335-6

Drinking frequency, quantity (*cont.*)
students/college
self-reports, 57-9, 316-7, 529-32
students/high-school
childhood problem behavior, 422-31
Native Americans, 172-7
self-reports, 173-6, 424-30
social support, 172-7
surveys
validation, 542-54
youth
affective states, 172-7, 326-33
parental alcoholism, 326-33
rebelliousness, 326-33
stress, 326-33
Drinking history of alcoholics
risk/relapse, 645-51
well-being
social environment, 283-96
Drinking Norms Rating Form, 56
Drinking patterns (*see also* Drinker categories; Drinking frequency, quantity; Social drinkers; Solitary drinking), 122-3*
alcoholics
drinking context, setting, 193-7
homelessness, 378-80
longitudinal studies, 178-88
Native Americans, 736-7
parent-child relationship, 189-98
problem drinkers
longitudinal studies, 178-88
United States
survey, 246*
Drinking Patterns Questionnaire, 712
Drinking/posttreatment
alcoholics
risk/relapse, 647-9
marital therapy
maintenance intervention, 652-66
problem drinkers
expectancies/alcohol response, 676-83
Drinking-related problems (*see also* Drug-related problems)
alcoholic beverage server
legal liability, 23-36
alcoholism-drug abuse, 271-3
availability/alcohol, alcoholic beverages, 320-5
drinking frequency, quantity
demographic variables, 595-8
hospitalized patients
hospital type, 432-40
injuries/drinking-related, 311-3
racial/ethnic communities, 762-3*
risk/relapse, 646-9
women, 377*, 762-3*
youth
problem drinking, 558-61
Drinking Restraint Scale, 707
Drinking status of alcoholics
alcoholism treatment completion
outpatient care, 97-100
marital therapy
maintenance intervention, 656-64
Drinking surveys
drinking context, setting, 590-9
self-reports' response bias, 334-44
Sweden
Drinking surveys (*cont.*)
validation, 542-54
Drug abuse (*see also* Addictions; Alcohol dependence; Alcoholism; Drug dependence; Substance abuse)
alcoholism, 199-208
drinking-related problems, 271-3
sex differences, 268-74
women, 268-74
alcoholism treatment completion
outpatient care, 99
demographic variables, 269
therapy, 123*
Drug dependence (*see also* Addictions, Alcohol abuse; Alcohol dependence; Alcoholism; Drug abuse; Substance abuse)
alcoholics
risk/relapse, 647-8
Drug-related problems (*see also* Drinking-related problems)
alcoholism-drug abuse, 271-3
Drug therapy
alcoholism, 507-8*, 762-3*
Drug use (*see also* Drug abuse; Drug dependence; Substance abuse)
alcoholics
manic-depressive disorder, 575
risk/relapse, 646-9
students/high-school
childhood problems behavior, 422-31
young adults
drinking-driving, 603-12
youth, 537-40
problem drinking, 557, 559-61
Dyschromatopsia
alcoholics, 13-15

Education/alcohol, drinking
youth, 634*
Educational status (*see also* Educational status of alcoholics)
drinking frequency, quantity
blood pressure, 229-32
drinking context, setting, 594-8
drinking surveys
sampling bias, 546
hospitalized patients
hospital type, 435, 437-9
Inventory of Drinking Situations, 42, 348
Educational status of alcoholics, 86, 269
alcoholism treatment completion
outpatient care, 94-9
liver cirrhosis mortality
drinking frequency, quantity, 453-5
risk/relapse, 647
sex-role orientation
women, 568-72
Electroencephalography
children of alcoholics
antisocial personality disorder, 577-89
Emotions (*see also* Affective states; Mood)
risk/relapse
alcohol dependence, 345-9
Employee assistance programs (*see also* Intervention programs)
motivation/alcoholism treatment, 505-6*
substance abuse, 248-9*, 505-6*
Employment status (*see also* Employment status of alcoholics; Occupational status)
drinking frequency, quantity
blood pressure, 229-32

Employment status of alcoholics, 86, 269
sex-role orientation
women, 568-72
Endocrine system
alcohol, 762-3*
Estrogens
alcohol, 762-3*
Ethnicity (*see also main entries at names of ethnic groups, e.g.,* Blacks, Native Alaskans; *and see* Culture; Race)
substance abusers
veterans/aged, 482
Ethnography
alcoholism concepts
craving/alcohol, 634-5*
Etiology of alcoholism, 122-3*, 378*
Event-related potential
risk/alcoholism
auditory paradigm, 408-21
sex differences, 353-8
visual discrimination task, 350-8
Expectancies/alcohol response
alcohol research
experimental design, 750-1, 759
problem drinkers
drinking/posttreatment, 676-83
tolerance/alcohol, 763-4*
Extraversion-introversion
alcoholics
risk/relapse, 648
Eysenck Personality Inventory, 646

Familial alcoholism (*see also* Maternal alcoholism; Parental alcoholism; Paternal alcoholism)
age/alcoholism onset, 164-71
alcoholics
manic-depressive disorder, 575-6
children of alcoholics
self-reports, 730-2
children's alcoholism severity, 164-71
event-related potential
auditory paradigm, 408-21
visual discrimination task, 350-8
problem drinkers
alcoholism treatment compliance, 103-5
students/college
self-reports, 730-2
Familial mental illness (*see also* Familial alcoholism)
alcoholics
manic-depressive disorder, 575-6
Family Alcoholism Questionnaire, 81
Family History Research Diagnostic Criteria, 328
Family structure
consumption/alcohol, alcoholic beverages
United States, 149-54
Family support
drinking frequency, quantity
Native Americans, 174-6
students/high-school, 172-7
drinking history of alcoholics
well-being, 283-96
Family therapy
alcoholics, 123*
substance abuse, 635-6*
Family Tree Questionnaire, 165
Fatal Accident Reporting System, 441
Father Mathew, 633*
Fetal alcohol syndrome, 261, 762-3*
Finland
alcoholism concepts
craving/alcohol, 634-5*
Flushing response/alcohol
drinking
Japanese Americans, 48-53
sex differences, 50-2
Follow-up
alcoholics
drinking patterns, 178-88
marital therapy, 656-62
Native Americans, 733-8
risk/relapse, 646-9
problem drinkers
drinking patterns, 178-88
drinking/posttreatment, 676-83
France
drinking
history, 633*
Fraternity affiliation
drinking
flushing response/alcohol, 50-2
Friends as Models for Problem Behavior, 604

Gastrointestinal system
alcohol, 762-3*
Gender (*see also* Sex differences; Women; Women alcoholics)
consumption/alcohol, alcoholic beverage
United States, 149-54
drinking frequency, quantity
Augsburg, 745-9
drinking context, setting, 593-8
drinking establishments, 133-8, 139-45
drinking surveys
sampling bias, 543, 546, 551
substance abuse
veterans/aged, 482
General Life Events Schedule for Children, 328
Generational differences
drinking
flushing response/alcohol, 50-2
Genetic factors (*see also* Heredity; Phenotypes)
alcoholism, 122-3*, 170, 247-8*, 630-2, 762-3*
Germany (*see also* Augsburg, Germany)
drinking
history, 633*
Getting Sober, Getting Well, 377*
Global Assessment of Functioning Scale, 579
Global Assessment Scale for Substance Abusers, 286, 468
Gluthathione peroxidase/blood
alcoholics
alcohol withdrawal, 626-9
Glutathione peroxidase/erythrocyte
alcoholics
alcohol withdrawal, 626-9
Grandparent's alcoholism
grandchildren's alcoholism severity, 164-71
Group characteristics
Alcoholics Anonymous, 502-4
Group composition
drinking establishments
drinking frequency, quantity, 133-8, 139-45
Group Environment Scale, 502
Group size
drinking establishments

Group size (*cont.*)
drinking frequency, quantity, 133-8, 139-45
Group therapy (*see also* Psychotherapy)
children of alcoholics, 120-1*
substance abuse treatment, 635-6*

Halstead-Reitan Neuropsychological Test Battery, 390
Hamilton Depression Rating Scale, 108
Hawaii Alcohol Survey, 81
Head injury
alcoholics
manic-depressive disorder, 575-6
Health Care Financing Administration's PPS Medicare Cost Report, 492
Health insurance coverage
alcoholism treatment completion
outpatient care, 97, 99
Health Maintenance Organization wellness questionnaires, 327
Heart rate (*see also* Respiratory sinus arrhythmia)
alcohol, 372, 374
risk/alcoholism-antisocial personality, 580, 583-8
drinker categories
alcohol cue reactivity, 363, 365-7
Helsinki
identification of alcoholism
students/college, 528-33
Heredity (*see also* Genetic factors; Phenotypes)
alcoholism, 507-8*
Hispanics (*see also* Race)
drinking-related problems, 762-3*
substance abuse treatment
evaluation, 764-5*
Hollingshead-Redlich scale, 646
Home ownership
problem drinkers
alcoholism treatment compliance, 103-5
Homelessness (*see also* Skid Row)
drinking, 378-80*
Hospital emergency rooms
injuries
breath alcohol, 517-19
predictors
injuries, 308-14, 432-40
Hospitalization
costs
alcohol abuse, 305-6
Hospitalized patients
hospital type
alcohol dependence, 432-40
drinker categories, 432-40
drinking-related problems, 432-40
drunkenness frequency, 432-40
injuries/drinking-related
predictors, 308-14
Hospitals
substance abuse treatment availability
rural and urban differences, 488-501
Hostility
young adulthood
drinking-driving, 604, 606-12
HPAC axis
alcoholics
stress, 393-8
Hyperactivity
childhood
adolescent problem behavior, 422-31
Hyperkinetic/Minimal Brain Dysfunction questionnaire, 422

ICD-10, 762*
Identification of alcoholics (*see also* Diagnosis of alcoholism; Identification of substance abusers)
students/college
personality tests, 722-9
questionnaires, 522-7, 528-33, 534-41
Identification of substance abusers (*see also* Identification of alcoholics)
youth
questionnaires, 522-7, 534-41
Impaired Control Scale
alcohol dependence
measurement, 700-9
Important People and Activities Inventory, 287, 471
Income (*see also* Income of alcoholics)
consumption/alcohol, alcoholic beverages
United States, 149-54
drinking frequency, quantity
blood pressure, 229-32
drinking context, setting, 593-8
Income of alcoholics, 269
Industry, business
employee assistance programs
substance abuse, 248-9*, 505-6*
management of alcoholics, 248-9*
Injuries (*see also* Head injury; Injuries/drinking-related)
breath alcohol determination
self-reports of drinking, 517-19
predictors
blood alcohol, 432-40
demographic variables, 437-9
Injuries/drinking-related (*see also* Injuries)
availability/alcohol, alcoholic beverages, 323-4
blood alcohol, 311-3
United States-Spain, 308-14
Intellectual functioning
disulfiram
toxicity, 389-92
Interoceptive discriminative stimulus
disulfiram, 5-10
disulfiram-alcohol, 7-9
Interpersonal relations
workplace
drinking frequency, quantity, 65-7
Interpersonal Situations Test, 711
Intervention programs (*see also* Employee assistance programs)
alcoholism treatment
homelessness, 378-80*
prenatal care
review, 261-7
Intoxication/alcohol, 762-3*
injuries/drinking-related, 311-3
students/high-school
Native Americans, 174-5
Introversion-extraversion, *see* Extraversion-introversion
Inventory of Drinking Situations, 42
psychometric evaluation, 345-9
demographic variables, 342-9
Iowa
alcoholic beverage privatization
alcoholic beverage purchases, 462-4
drinking context, setting, 320-5
drinking frequency, quantity, 320-5
drinking-related problems, 320-5
wine sales, 151-2, 152-3
Ireland
drinking

Ireland (*cont.*)
history, 633*

Japan
alcohol abuse
costs, 618-25
Japanese Americans (*see also* Asian Americans; Race)
drinking
flushing response/alcohol, 48-53
Job performance
drinking frequency, quantity, 61-70
Job problems
availability/alcohol, alcoholic beverages, 323-4
Judgment
alcoholic beverage type
students/college, 315-9

Kenya
drinking
history, 633*
Kurihama Alcohol Screening Test, 620

Labeling
substance abuse type
stigmatization, 693-9
Labeling/alcoholic beverage
health warning
avoidance response, 614-17
drinking frequency, quantity, 457-61
label characteristics, 457-61
Lanthony-15 test of color discrimination, 13
Last 30 Days of Drinking Questionnaire, 361
Laws/health warning
alcoholic beverages
avoidance response, 614-17
drinking frequency, quantity, 457-61
label characteristics, 457-61
Laws/liquor control
alcoholic beverage purchases, 462-4
sales/alcoholic beverages, 151-2, 152-3, 462-4
Learning/state-dependent
tolerance/alcohol, 763-4*
Learning/visuospatial
alcoholics
stress, 393-8
children of alcoholics, 219-24
sex differences, 219-24
Legal liability
alcoholic beverage server, 23-36
alcohol-related problems, 23-36
mass media, 28-34
Length of stay
drinking establishments
drinking frequency, quantity, 133-8, 139-45
Levine hypothesis testing task, 687
Librium, *see* Chlordiazepoxide
Life Events Schedule, 173
Lifestyle
consumption/alcohol, alcoholic beverages
United States, 149-54
young adulthood
drinking-driving, 609-12
Liquor liability insurance
alcoholic beverage server
legal liability, 28-34
Liquor shops
drinking
Liquor shops (*cont.*)
geographic distribution, 739-44
Lithium carbonate therapy
abstinence by alcoholics, 115-9
Alcoholics Anonymous attendance, 115-9
Liver disorders, *see* Cirrhosis/liver
Living arrangement
alcoholics
risk/relapse, 647
alcoholism treatment completion
demographic variables, 97, 99
Longitudinal studies
drinking frequency, quantity
Native Americans, 172-7
drinking patterns
alcoholics, 178-88
problem drinkers, 178-88
individual-group level drinking, 37-47
problem behavior
youth, 506*
problem drinking
youth, 555-65
Loss of control/drinking
alcohol dependence
measurement, 700-9
alcoholics, 178-88
hospitalized patients
hospital type, 437-8
problem drinkers, 178-88

MacAndrew Alcoholism Scale, 522
identification of alcoholics
students/college, 722-9
validity, 722-9
Manic-depressive disorder
alcoholism, 574-6
Marital adjustment of alcoholics
marital therapy
maintenance intervention, 652-66
Marital Adjustment Test, 655, 656
Marital stability
consumption/alcohol, alcoholic beverages
United States, 149-54
Marital status (*see also* Marital status of alcoholics; Marital status of problem drinkers)
drinking
flushing response/alcohol, 50-2
drinking frequency, quantity
blood pressure, 229-32
drinking, context, setting, 599-8
hospitalized patients
hospital type, 435, 437-9
Inventory of Drinking Situations, 42, 348
substance abusers
veterans/aged, 482, 485
Marital Status Inventory, 656
Marital status of alcoholics, (*see also* Marital status of problem drinkers)
alcoholism treatment completion
outpatient care, 97, 99
liver cirrhosis mortality
drinking frequency, quantity, 453-5
sex-role orientation
women, 568-72
substance abuse
veterans/aged, 482, 485

Marital status of problem drinkers
alcoholism treatment compliance, 103-5
Marital therapy
alcoholics
maintenance intervention, 652-66
Marlowe-Crowne Social Desirability Scale, 346, 401
Masculinity-femininity
women alcoholics, 566-73
Mass media
alcohol cue reactivity
alcoholics' alcohol craving, 85-91
alcoholic beverage server
legal responsibility, 28-34
Maternal alcoholism (*see also* Familial alcoholism; Maternal problem drinking; Parental alcoholism; Paternal alcoholism)
children's alcoholism severity, 164-71
children's reports
validity, 71-9
Michigan Alcoholism Screening Test, 13, 165, 522 579, 655, 677, 703, 722, 762-3*
Malmo modification
efficacy, 528-33
Minnesota Multiphasic Personality Inventory, 210, 390
identification of alcoholics
students/college, 722-9
validity, 722-9
Minnesota Multiphasic Personality Inventory Depression Scale
problem drinkers
alcoholism treatment compliance, 103-5
Minnesota Multiphasic Personality Inventory Schizophrenia Scale
problem drinkers
alcoholism treatment compliance, 103-5
Minority groups, *see main entries at names of ethnic groups, e.g.*, Blacks; Hispanics; *and see* Ethnicity; Race
MONICA Project Augsburg, 745
Mood (*see also* Affective states; Emotions)
alcohol, 507-8*
blood alcohol, 371-373-5
drinker categories
alcohol cue reactivity, 361-2, 365
Moral Re-Armament Movement, 249*
Morbidity (*see also* Mortality)
cirrhosis/liver
drinking frequency, quantity, 450-6, 545-7, 550
costs
alcohol abuse, 305-6
Mortality (*see also* Morbidity; Occupational mortality rate)
cirrhosis/liver
drinking frequency, quantity, 450-6, 545-7, 560
Mothers Against Drunk Driving, 315
Motivation/alcoholism treatment
employee assistance program, 505-6*
Motivational interviewing
substance abuse treatment, 507*
Motor nerve conduction
alcoholics
abstinence, 684-6

National Alcohol and Other Drug Survey, 591
National Center for Health Statistics, 450, 518
National Council on Alcoholism, 505*
National Drug and Alcoholism Treatment Unit Survey, 490
National Health and Nutrition Examination Survey, 226
National Highway Traffic Safety Administration, 305, 441
National Institute for Alcohol and Drug Research (Oslo) 179, 180
National Institute of Mental Health, 73
National Institute on Alcohol Abuse and Alcoholism, 261 505*, 667
costs
alcohol abuse, 302-7
National Institute on Drug Abuse, 534, 536, 540
National Mortality Followback Survey,450
Native Alaskans
alcoholism
homelessness, 378-80*
substance abuse treatment
evaluation, 764-5*
Native Americans
alcoholics
affective disorders, 735-7
drinking patterns, 736-7
spontaneous remission, 734-7
drinking frequency, quantity
sex differences, 174
stress, 172-7
students/high-school, 172-7
drinking-related problems, 762-3*
liver cirrhosis mortality
drinking frequency, quantity, 450-6
prevalence of alcoholism, 733-8
sex differences, 735-7
substance abuse treatment
evaluation, 764-5*
Natural History of Alcoholism, 377*
Netherlands
abstinence
seasonal differences, 159-60, 162
sex differences, 159-60, 162
consumption/alcohol, alcoholic beverages
seasonal differences, 157-63
sex differences, 157-63
Neuropsychological functions, *see* Cognitive dysfunction; Cognitive functions; Learning/state-dependent; Learning/visuospatial; Visual discrimination; *also see* Neurotoxicity/alcoholic
Neuroticism
alcoholics
risk/relapse, 648
Neurotoxicity/alcoholic (*see also* Cognitive dysfunction)
age/alcoholism onset, 13-15
alcoholism duration, 13-15
brain cortex, 11-16
consumption/alcohol, alcoholic beverages, 13-15
peripheral nervous system, 11-16
retina, 11-16
New Jersey
alcoholism treatment completion
demographic variables, 92-101
New Jersey Client Oriented Data Acquisition Program, 93
New Jersey Drug Abuse and Addiction Services, 93
New Jersey Uniform Record Reporting System, 93
NHANES, 226
NIMH Collaborative Depression Study, 116

Obituaries
Bacon, S.D., 130-2, 254-5
Cahalan, D., 4
Occupational mortality rate
drinking frequency, quantity

Occupational mortality rate (*cont.*)
blood pressure, 229-32
Occupational status (*see also* Employment status; Occupational status of alcoholics)
Inventory of Drinking Situations, 42, 348
Occupational status of alcoholics, 86
alcoholism treatment completion
outpatient care, 94-100
risk/relapse, 647
sex-role orientation
women, 567-8, 571-2
Omnibus Anti-Drug Abuse Act, 614
Ontario, Canada
substance abuse treatment
disabled, 275-82
Oppositional disorder
childhood
adolescent problem behavior, 422-31
Outpatient care
alcoholism treatment completion
demographic variables, 92-101
Oxford Group Movement, 249*

Parent-child relationship
paternal alcoholism
drinking patterns, 189-98
Parental alcoholism (*see also* Familial alcoholism; Maternal alcoholism; Parental problem drinking; Paternal alcoholism)
children of alcoholics
psychopathology, 247-8*
children's drinking
affective states, 326-33
rebelliousness, 326-33
stress, 326-33
psychopathology, 190, 197, 247-8*
Parental problem drinking (*see also* Parental alcoholism)
children's reports
validity, 71-9, 80-4
Pargyline-disulfiram
interoceptive discriminative stimulus, 7-9
Paternal alcoholism (*see also* Familial alcoholism; Parental alcoholism; Paternal problem drinking)
children's alcoholism severity, 164-71
children's cortisol response, 397
children's reports
validity, 71-9
parent-child relationship
drinking patterns, 189-98
Peer influences
drinking frequency, quantity
Native Americans, 174-6
Peer perception
problem drinking
sex differences, 56-9
students/college, 54-60
Perceived Social Support Index, 174, 287
Peripheral nervous system (*see also* Autonomic nervous system; Central nervous system)
alcoholics
abstinence, 684-6
neurotoxicity tests, 11-16
Personal Assessment Inventory, 568
Personal Attributes Questionnaire, 567, 569
Personal Experience Inventory, Basic Problem Severity scales
substance abuse treatment referral, 536-40
validation, 534-41
Personality Research Form, 345
Phenotypes
GC-subtype
alcoholism, 630-2
Physical distress
risk/drinking
alcohol dependence, 345-9
Posttraumatic stress disorder
children of alcoholics
therapy, 120-1*
Power (*see also* Control/internal-external)
expectancies/alcohol response
drinking/posttreatment, 678-82
Predictors (*see also* Risk/alcoholism; Risk/relapse)
abstinence by alcoholics
Alcoholics Anonymous attendance, 115-9
lithium carbonate therapy, 115-9
adolescent problem behavior
childhood problem behavior, 422-31
alcoholics
risk/relapse, 645-51
alcoholism treatment completion
outpatient care, 92-101
alcoholism treatment compliance
outpatient care, 102-6
drinking-driving
young adulthood, 607-8
injuries
blood alcohol, 432-40
demographic variables, 437-9
injuries/drinking-related
hospitalized patients, 308-14
problem drinking
youth, 560-2
youth's drinking
affective states, 329-32
parental alcoholism, 329-32
rebelliousness, 329-32
stress, 329-32
Pregnancy
drinking intervention
review, 261-7
Prenatal care
drinking intervention
review, 261-7
Prevalence of alcoholism
Native Americans
cohort studies, 733-8
Prevalence of problem drinking
Japan, 620
Prices/alcoholic beverages (*see also* Availability/alcoholic beverages; Sales/alcoholic beverages; Wine sales)
alcoholic beverage purchases, 462-4
consumption/alcohol, alcoholic beverages
United States, 149-54
Problem behavior
youth
childhood-adolescence, 422-31
longitudinal studies, 506*
Problem-Behavior Theory, 601, 602
Problem drinkers (*see also* Problem drinking)
alcoholism treatment compliance
familial alcoholism, 103-5
drinking patterns
longitudinal studies, 178-88
drinking/posttreatment

Problem drinkers (*cont.*)
expectancies/alcohol response, 676-83
job performance
denial, 66-7
loss of control/drinking, 178-88
Problem drinking (*see also* Problem drinkers)
costs
Japan, 618-25
United States, 302-7
peer perception
bias, 54-60
sex differences, 56-9
student/college, 54-60
students/high-school, 174-6
Native Americans, 174-6
young adulthood
drinking-driving, 603, 605-12
youth
age/initial drinking, 557, 560-1
demographic variables, 557-559
drinking-related problems, 558-61
drug use, 557, 559-61
measurement, 555-65
smoking, 557, 559-61
Problem solving
alcoholics, 687-92
Problem With Alcohol Scale, 55
Prognosis/alcoholism treatment
social involvement
psychological functioning, 465-78
social support, 465-78
Project Intercept, 535
Project MATCH, 636
Psychiatric disorders
alcoholics
cocaine abuse, 202-5
manic-depressive disorder, 574-6
treatment, 277-81
childhood
adolescent problem behavior, 422-31
substance abusers
treatment, 277-81
veterans/aged, 483-5
women, 377*
Psychiatry
alcoholism treatment, 378*
Psychological functioning
alcoholism treatment outcome
social investment, 465-78
social support, 465-78
Psychological Functioning Inventory, 287
Psychometric tests
alcoholics
neurotoxicity, 13-15
risk/relapse
drinking context, setting, 345-9
Psychomotor functions, *see* Body sway; Reaction time
Psychopathology (*see also* Antisocial personality disorder; Delinquent behavior; Psychiatric disorders)
children of alcoholics, 247-8*
parents, 190, 197, 247-8*
Psychotherapy (*see also* Group therapy)
alcoholism, 378*
children of alcoholics, 120-1*
Public policy
alcoholism
homelessness, 378-80*
Public policy (*cont.*)
costs
alcohol abuse, 302-7
wine sales, 151-2, 152-3
Purpose in life
Alcoholics Anonymous members
sobriety, 297-301
spirituality, 297-301
Purpose-in-Life Test, 297, 298

Quantity-frequency index, 286, 424
consumption/alcohol, alcoholic beverages
seasonal differences, 157-63
Quantity-frequency-variability index
consumption/alcohol, alcoholic beverages
seasonal differences, 157-63
Questionnaires
aged problem drinkers
alcoholism treatment compliance, 103-5
alcohol dependence
loss of control/drinking, 700-9
personality tests, 722-9
risk/relapse, 345-9
students/college, 722-9
alcoholic beverages
label characteristics, 457-61
alcoholics
depressive states, 109-13
familial alcoholism, 164-71
loss of control/drinking, 700-9
problem solving, 688-91
risk/relapse, 345-9, 646-50
Alcoholics Anonymous
group characteristics, 502-4
purpose in life, 297-301
arrestees/drinking-driving, 210-7
children of problem drinkers
parental problem drinking, 80-4
drinking frequency, quantity
alcohol cue reactivity, 361-7
children of alcoholics, 326-33
Native Americans, 172-7
students/college, 529-32
students/high-school, 172-7
youth, 326-33
drinking-related problems
hospitalized patients, 432-40
familial alcoholism
students/college, 730-2
female alcoholics
self-esteem-sex-role, 566-73
flushing response/alcohol
Japanese Americans, 49-52
identification of alcoholics
personality tests, 722-9
students/college, 522-7, 528-33, 722-9
identification of substance abusers
youth, 534-41
injuries/drinking-related, 308-14
problem drinking
expectancies/alcohol response, 678-83
students/college, 56-9
youth, 555-65

Race (*see also main entries at names of groups, e.g.,* Blacks; *and see* Culture; Ethnicity; Race of alcoholics)
drinking frequency, quantity

Race (*cont.*)
blood pressure, 229-32
liver cirrhosis mortality
drinking frequency, quantity, 450-6
problem drinking
youth, 557, 559-61
substance abusers
veterans/aged, 482
Race of alcoholics, 86
alcoholism treatment completion
outpatient care, 94-6, 98-9
substance abusers
veterans/aged, 482
Rational Recovery, 250*
Reaction time (*see also* Body sway)
familial alcoholism
event-related potential, 353, 357, 412-20
Rebelliousness
youth's drinking
affective states, 326-33
parental alcoholism, 326-33
stress, 326-33
Referral source
alcoholism treatment completion, 98-9
problem drinkers
alcoholism treatment compliance, 103-5
Relapse (*see also* Drinking/posttreatment; Risk/relapse)
addictions
prevention, 121-2*
Alcoholics Anonymous attendance
purpose in life, 297-301
prevention
psychometric tests, 348-9
Research Diagnostic Criteria, 190, 200, 201
Respiratory sinus arrhythmia
alcohol
risk/alcoholism-antisocial personality, 580, 582-8
Responsible Beverage Service program, 139
Responsible Hospitality Institute, 30
Restrained Drinking Scale, 707
Retina
alcoholics
neurotoxicity tests, 11-16
Reviews
alcohol administration research
experimental design, 750-61
drinking frequency, quantity
self-reports' response bias, 334-44
drinking intervention
pregnancy, 302-7
substance abuse treatment availability
rural and urban differences, 488-91
Risk/alcoholism (*see also* Predictors)
antisocial personality disorder
alcohol, 577-89
children of alcoholics, 247-8*
event-related potential
auditory paradigm, 408-21
visual discrimination task, 350-8
Risk/fatality
blood alcohol
accidents/drinking-driving, 441-9
Risk/relapse (*see also* Predictors)
drinking context, setting
alcoholics' coping skills, 710-21
psychometric evaluation, 345-9
predictors, 645-51
Risk taking
young adulthood
drinking-driving, 604, 606-12
Risky Sports Interest, 604
Role-playing
alcoholics' coping skills
drinking context, setting, 710-21
Rosenberg Self-Esteem Scale, 568
Rotterdam
drinking
accidents/traffic, 739-44
drinking establishments, 739-44
liquor shops, 739-44
Rotterdam Local Health Information System, 739, 740
Rural and urban differences
substance abuse treatment
availability, 488-501
review, 488-91
Rutgers Alcohol Problem Index, 55
Rutgers Collegiate Substance Abuse Screening Test
evaluation, 522-7

Sales/alcoholic beverages (*see also* Availability/alcohol, alcoholic beverages; Prices/alcoholic beverage; Wine sales)
drinking frequency, quantity
response bias, 334-44, 345-6, 550
laws/liquor control, 151-2, 152-3
seasonal differences
Netherlands, 157-63
Saliva alcohol determination
breath alcohol determination, 17-22
efficacy
blood-urine alcohol, 520-1
Salivation
alcohol cue reactivity
alcohol detoxication, 238-44
Schedule for Affective Disorders and Schizophrenia, 107, 116, 190, 201, 734
Schedule for Affective Disorders and Schizophrenia, life-version, 734
Seasonal differences
abstinence
Netherlands, 159-60, 162
consumption/alcohol, alcoholic beverages, 157-63
sex differences, 157-63
sales/alcoholic beverages
Netherlands, 157-63
Sedatives use
female alcoholics, 271, 273
Seizures
alcoholics
manic-depressive disorder, 575-6
Self-esteem
alcoholics
risk/relapse, 648
female alcoholics
sex-role orientation, 566-73
Self-referral
alcoholism treatment completion, 98-9
Self-reports
children of alcoholics
familial alcoholism, 730-2
parental alcoholism, 71-9
children of problem drinkers
parental problem drinking, 71-9, 80-4
drinking-driving
young adulthood, 604-12

Self-reports (*cont.*)
drinking frequency, quantity
alcoholics, 470-1
Augsburg, 745-9
blood pressure, 226-7
children of alcoholics, 328
hospitalized patients, 310-3, 434-40
job performance, 64-7
response bias, 334-44
students/college, 57-9, 316-7, 529-32
students/high-school, 173-6, 424-30
validity, 517-19
youth, 328
drug use
youth, 537-40
paternal alcoholism
parent-child relationship, 190-7
problem drinking
students/college, 56-9
Sensory nerve conduction
alcoholics
abstinence, 684-6
Sensory state awareness
alcohol cue reactivity
alcohol detoxication, 238-44
Sensory State Awareness Scale, 238
Severity of Alcohol Dependency Questionnaire, 180, 361, 700, 703
Sex differences (*see also* Gender; Women; Women alcoholics)
abstinence
Netherlands, 159-60, 162
alcohol dependence
personality tests, 722-9
students/college, 722-9
alcoholism
spontaneous remission, 734-7
alcoholism-drug abuse
criminal behavior, 271-3
drinking-related problems, 271-3
drug-related problems, 271-3
alcoholism treatment completion
outpatient care 94-9
children of alcoholics
learning/visuospatial, 219-24
children of alcoholics' reports
parental alcoholism 75-6
children of problem drinkers' reports
parental problem drinking, 75-6, 83
consumption/alcohol, alcoholic beverages
seasonal differences, 157-63
depression
alcoholic Native Americans, 735-7
drinking
flushing response/alcohol, 50-2
drinking-driving
young adulthood, 611
drinking frequency, quantity
alcoholism-drug abuse, 268-74
blood pressure, 225-34
Native Americans, 174
peer perception, 56-9
students/high-school, 174
event-related potential
risk/alcoholism, 353-8, 416-20
familial alcoholism
self-reports, 730-2
Sex differences (*cont.*)
hospitalized patients
hospital type, 435, 437-9
identification of alcoholics
students/college, 530-2
liver cirrhosis mortality
drinking frequency, quantity, 453-5
prevalence of alcoholism
Native Americans, 734-7
problem drinking
peer perception, 56-9
Sex-role
female alcoholics
self-esteem, 566-73
Sexual abuse
women
substance abuse, 377*
Sexual enhancement
expectancies/alcohol response
drinking/posttreatment, 678-81
Shipley Institute of Living Scale, 688
Short Form Alcohol Dependence Data questionnaire, 703
Short Michigan Alcoholism Screening Test, 49, 73, 87, 237, 722
Significant Other Behavior Questionnaire, 471
Situational Competencies Test, 711
Situational Confidence Questionnaire, 87, 361
Skid Row (*see also* Homelessness)
alcoholics
sociodemographic variables, 378-80*
Skin conductance
drinker categories
alcohol cue reactivity, 364-7
Skin temperature
alcohol
risk/alcoholism-antisocial personality, 580, 583-8
Smokers
attitudes/smoking
treatment considerations, 693-9
stigmatization, 693-9
Smoking
alcohol withdrawal
antioxidant enzymes/blood, 626-9
problem drinking
youth, 557, 559-61
students/high-school
adolescent problem behavior, 422-31
Sobriety (*see also* Abstinence)
Alcoholics Anonymous principles
purpose in life, 297-301
Social desirability
drinking frequency, quantity
self-reports, 335-6
Inventory of Drinking Situations, 42, 346, 348-9
Social drinkers
tolerance/alcohol, 763-4*
Social environment
alcoholism treatment outcome
psychological functioning, 465-78
social investment, 465-78
drinking frequency, quantity
drinking establishments, 133-8, 139-45
drinking history of alcoholics
well-being, 283-96
Social information processing
alcohol dosage

Social information processing (*cont.*)
aggression, 399-407
Social investment
alcoholism treatment outcome
psychological functioning, 465-78
social support, 465-78
Social learning
tolerance/alcohol, 763-4*
Social pressure
risk/drinking
alcohol dependence, 345-9
Social Provisions Scale, 646
Social support
alcoholics
risk/relapse, 648
alcoholism treatment outcome
psychological functioning, 465-78
social investment, 465-78
drinking frequency, quantity
Native Americans, 172-7
students/high-school, 172-7
drinking history of alcoholics
well-being, 283-96
Social withdrawal
youth's drinking
parental alcoholism, 326-33
rebelliousness, 326-33
stress, 326-33
Socioeconomic status of alcoholics (*see also* Socioeconomic status of problem drinkers)
alcoholism treatment completion
outpatient care, 94-100
Socioeconomic status of problem drinkers
alcoholism treatment compliance, 103-5
Socioenvironmental variables
drinking
flushing response/alcohol, 50-2
Sociopathy, *see* Antisocial personality disorder; Arrests/drinking-driving; Criminal behavior; Delinquent behavior
Sodium/potassium ratio
drinking frequency, quantity
blood pressure, 229-32
Solitary drinking
availability/alcohol, alcoholic beverages, 321-2, 324
Somatic disorders
substance abusers
veterans/aged, 483
Sorority affiliation
drinking
flushing response/alcohol, 50-2
Spain
injuries/drinking-related, 308-14
Spirituality
Alcoholics Anonymous members
purpose in life, 297-301
sobriety, 297-301
Spontaneous remission
alcohol dependence
Native Americans, 734-7
alcoholics, 178-9
Spouse/partner counseling
problem drinkers
alcoholism treatment compliance, 103-5
Stigmatization
substance abuse
substance type, 693-9
Stress (*see also* Anxiety)
alcoholics
cognitive functions, 393-8
cortisol/blood, 393-8
drinking frequency, quantity
Native Americans, 172-7
students/high-school, 172-7
youth's drinking
affective states, 326-33
parental alcoholism, 326-33
rebelliousness, 326-33
Stress and Arousal Adjective Checklist, 361
Students/college (*see also* Students/high-school)
alcohol dependence
personality tests, 722-9
alcoholic beverage labeling
perception, 457-61
alcoholic beverage type
perception of drinker, 315-9
drinking
flushing response/alcohol, 50-2
drinking frequency, quantity
peer perception, 56-9
self-reports, 57-9, 316-7, 529-33
familial alcoholism
self-reports, 730-2
identification of alcoholics
personality tests, 722-9
questionnaires, 522-7, 528-33
problem behavior
longitudinal studies, 506*
problem drinking
peer perception, 54-60
self-reports, 56-9
Students/high-school (*see also* Students/college)
blackouts
Native Americans, 174
drinking frequency, quantity
Native Americans, 172-7
self-reports, 424-30
sex differences, 174
stress, 172-7
problem behavior
childhood-adolescence, 422-31
longitudinal studies, 506
Subjective Response Questionnaire, 395
Substance abuse (*see also* Addictions; Alcohol abuse; Alcohol dependence; Alcoholism; Drug abuse; Substance abuse treatment; Substance abusers), 635-6*
substance type
stigmatization, 693-9
Substance Abuse Proclivity Scale
identification of alcoholics
students/college, 722-9
validity, 722-9
Substance abuse treatment (*see also* Alcoholism treatment)
attitudes/substance abuse treatment, 693-9
availability
rural and urban differences, 488-501
disabled
Ontario, Canada, 275-82
employee assistance programs, 248-9*
ethnic/racial communities
evaluation, 764-5*
family therapy, 635-6*
motivational interviewing, 507*

Substance abuse treatment (*cont.*)
referral
Personal Experience Inventory, 536-40
veterans/aged
cohort studies, 479-87
Substance abusers (*see also* Substance abuse; Substance abuse treatment)
aged
demographic variables, 481-6
diagnosis, 481-6
treatment, 481-6
identification
students/college, 522-7, 528-33
youth, 534-41
management
workplace, 248-9*
women, 377*
sexual abuse, 377*
Superoxide dismutase/blood
alcoholics
alcohol withdrawal, 626-9
Superoxide dismutase/erythrocyte
alcoholics
alcohol withdrawal, 626-9
Surveys
attitudes/alcohol, drinking
United States, 246*
availability/alcohol, alcoholic beverages
drinking context, setting, 320-5
drinking frequency, quantity, 320-3
drinking-related problems, 320-5
drinking frequency, quantity
blood pressure, 225-34
drinking context, setting, 590-9
self-reports' response bias, 334-44
validation, 542-54
drinking patterns
United States, 246*
flushing response/alcohol
Japanese Americans, 49-52
hospitalized patients
drinking-related problems, 432-40
liver cirrhosis mortality
drinking frequency, quantity, 450-6
problem behavior
childhood-adolescence, 422-31
sales/alcoholic beverages
seasonal differences, 157-63
substance abuse treatment
disability, 275-82
substance abuse treatment availability
rural and urban differences, 488-501
Sweden
drinking surveys
validation, 542-54

Tardiness
workplace
drinking frequency, quantity, 65-7
Teenagers, *see* Children of alcoholics; Students/high-school; Youth
Television, *see* Mass media
Tension reduction
expectancies/alcohol response
drinking/posttreatment, 678-81
Texas Social Behavior Inventory, 646
Time-Line Drinking Behavior Interview, 659
Timeline Follow-Back Drinking Questionnaire, 87
Tolerance/alcohol, 762-3*
social drinkers, 763-4*
Top Shelf Magazine, 30
Traffic violations
young adulthood
drinking-driving, 603
Trauma Score (Skinner), 522
identification of alcoholics
students/college, 528-33
Treatment Outcome Prospective Study, 100

Unconventionality
young adulthood
drinking-driving, 604, 606-12
Unions
substance abuse
employee assistance programs, 248-9*
United States (*see also* Iowa; New Jersey; West Virginia)
alcohol abuse
costs, 302-7
alcohol-related problems
surveys, 246*
alcoholic beverage server
legal liability, 23-36
attitudes/alcohol, drinking, 122-3*
surveys, 246*
consumption/alcohol, alcoholic beverages
socioeconomic factors, 146-56
dram shop liability laws
liability exposure/state, 24-7
drinking patterns
surveys, 246*
injuries/drinking-related, 308-14
Urine alcohol concentration
saliva alcohol, 520-1

Vasodilatation
alcohol, 370, 374
Veterans/aged
substance abuse
demographic variables, 481-6
depression, 483, 485
diagnosis, 481-6
treatment, 481-6
Vibration perception threshold
alcoholics
abstinence, 684-6
Vibrotactile detection threshold
alcoholics
neurotoxicity/alcoholic, 11-16
Visual discrimination
event-related potential
risk/alcoholism, 350-8

Wechsler Adult Intelligence Scale, 390
Wechsler Memory Scale, 220, 221
Well-being
drinking history of alcoholics
social environment, 283-96
West Virginia
wine sales
alcoholic beverage privatization, 251-2, 252-3
Wine Institute, 253

Wine sales
alcoholic beverage privatization, 251-2, 252-3
Wisconsin Card Sorting Test, 687, 688
Women (*see also* Gender; Sex differences; Women alcoholics)
drinking frequency, quantity
Augsburg, 745-9
substance abuse, 377*
drinking-related problems, 377*
work force
consumption/alcohol, alcoholic beverages, 148-54
Women alcoholics (*see also* Gender; Sex differences; Women)
coping skills
sex-role orientation, 567-8, 570-2
drinking-related problems, 762-3*
drug abuse
epidemiology, 268-74
self-esteem
sex-role orientation, 566-73
Women for Sobriety, 250*
Women's Identity Development Project, 568
Workplace (*see also* Your Workplace)
employee assistance programs
substance abuse, 248-9*, 505-6*
management of alcoholics, 248-9*
Workplace support
drinking history of alcoholics
well-being, 283-96
World Health Organization, Healthy Cities Project, 739
World Health Organization, MONICA Project, 745
Worldwide Survey of Alcohol and Nonmedical Drug Use among Military Personnel, 338

Young Adult Driving Questionnaire, 602
Young adulthood (*see also* Students/college; Students/high-school; Youth)
Young adulthood (*cont.*)
drinking-driving
behavioral correlates, 600-12
psychosocial correlates, 600-12
Your Workplace, 287
Youth (*see also* Children of alcoholics; Students/college; Students/high-school; Young adulthood)
Alcoholics Anonymous, 122-3*
drinking, 122-3*
drinking frequency, quantity
affective states, 326-33
Native Americans, 172-7
parental alcoholism, 326-33
rebelliousness, 326-33
social withdrawal, 326-33
stress, 326-33
drug use, 537-40
education/alcohol, drinking, 634*
identification of substance abusers
questionnaires, 534-41
problem drinking
age/initial drinking, 557, 560-1
demographic variables, 557, 559-61
drinking-related problems, 558-61
drug use, 557, 559-61
smoking, 557, 559-61
measurement, 555-65
predictors, 560-2
risk/alcoholism
event-related potential, 350-8
tolerance/alcohol
social learning, 763-4*
Youth Self Report, 191

Zung Depression Rating Scale, 108